	Application No.	Applicant(s)
Notice of Allowability	10/658,980	KOBINATA ET AL.
	Examiner	Art Unit
	Michael P. Mooney	2883
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are 1-8.		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20050311. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date	6. ⊠ Interview Summary Paper No./Mail Date 8), 7. ⊠ Examiner's Amendm	e <u>20050311</u> .

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Atty. C. Gagnebin (Reg. No. 25,457) on 3/10/05.

Please replace in the **Specification** on page 5, lines 10 through 19 with the following:

--Depending on the case, for example, the transmitter side requires additional circuit components other than the driver IC 4, such as a resistor 3a for limiting current the light-emitter 3. Similarly, the receiver side may possibly require other circuit components than the photodetector 5 and the amplifier IC 6. When such additional circuit components are required, a recess is determined based on the group of transmitting or receiving, which they belong to. Then, the circuit components are housed in the recess to which the component belong to prevent crosstalk.—

In the **Drawings**, please amend fig 1. to include the reference numeral "3a" as indicated on the attached sheet.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Application/Control Number: 10/658,980 Page 3

Art Unit: 2883

The prior art, either alone or in combination, does not disclose or render obvious an optical communication module including a substrate; a transmitter comprising a light-emitter element and a driver IC operative to drive said light-emitter; a receiver comprising a photodetector element and an amplifier IC operative to amplify an output signal from said photodetector; and circuit components accompanied with said said transmitter and receiver; wherein said transmitter, receiver and circuit components are implemented on said substrate, wherein said substrate comprises a ceramic substrate made of laminated green sheets and at least two recesses formed thereon, and said light-emitting element and photodetector element are mounted into said separate recesses and said recesses are separately covered with a mold resin by molding, and wherein depths of said recesses formed are each deeper than a mounted height of said light-emitter or photodetector elements mounted thereinto in combination with the rest of claim 1.

It is noted that the claim 1 is allowable because the unique combination of each and every specific element stated in the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Mooney whose telephone number is 571-272-2422. The examiner can normally be reached during weekdays, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on 571-272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-

1562.

Michael P. Mooney

Examiner

Art Unit 2883

Frank G. Font

Frank St Fa

Supervisory Patent Examiner

Page 4

Art Unit 2883

FGF/mpm 3/11/05